

WELCOME TO THE **WORLD OF**

BLUEXTAR LUBRICANTS



AUTOMOTIVE LUBRICANTS

INDUSTRIAL LUBRICANTS

SYNTHETIC ENGINE OIL

GEAR OIL'S / GREASE

MARINE OIL / COOLANT

AGRICULTURE OIL

FORK OIL / BRAKE OIL

DIESEL EXHAUST FLUID (DEF)

ABOUT US

Bluextar Lubricants is fastest growing & ISO certified lubricants Brand under Government of India that manufactures a wide range of fluids, viz., engine oils, gear oils, hydraulic oils, coolant, greases, brake oils,(D.E.F), Industrial oil etc. for engine made by various OEMs .

MISSION

To provide best quality Lubricants at affordable price for all automotive sectors.

VISION

To become the leading and trusted Lubricant manufacturing company globally.





FIGHTER PLS 20W40 4T API SM/SN/SL/SJ

Product Description:

FIGHTER PLS 20W40 4T Is high performance heavy duty engine oils. manufactured from high quality base oil. which have been fortified with additives to proved excellent perfection against wear, deposits and corrosion, longer drain intervals

Applications:

Recommended for all petrol engines and also for 4stroke highway equipments.

Features & Benefits:

- Low maintenance
- Rust preventive
- Easy in cold starting due to its very high viscosity.

PERFORMANCE LEVEL:

MEETS API SM, JASO MA-2 Specification

PACK SIZE
500ML, 600ML, 800ML, 900ML, 1L, 1.2L, 1.5L, 2L, 2.5L, 3L,
3.5L, 5L, 6L, 7L, 7.5L, 10L, 15L, 20L, 25L, 50L, 210L.



MOTER TECH 15W40 CI4+

TURBO MAX15W40 is an advanced technology heavy- duty diesel engine oil. formulated from latest additive chemistry with severely hydro treated mineral base stock to provide excellent detergency.

APPLICATION:

Recommended for all DIESEL engines and also for High-Way equipments.

PERFORMANCE:

- Efficient cooling & lubrication of engine
- Protect from rust and sludge
- Smooth starting in cold days.

SPECIFICATION

MEETS API CI4+ PLUS Specification



PACK SIZE
500ML, 800ML, 900ML, 1L, 1.2L, 1.5L, 2L, 2.5L, 3L,
3.5L, 5L, 6L, 7L, 7.5L, 10L, 15L, 20L, 25L, 50L, 210L.



CAR LIFE 5W30 API SN/20W50 SM/15W40 CI4+

CAR LIFE 5W30 Is High Performanc, Semi Synthetic BlandTechnology Car Engine Oil Developed To Provide Boosted Engine Cleanliness And Protection For All Types Of Vehicle

APPLICATION:

Recommended for all petrol engines and also for High-Way equipments.

PERFORMANCE:

- Efficient cooling & lubrication of engine
- Protect from rust and sludge
- Smooth starting in cold days.

SPECIFICATION

MEETS API SN, JASO MA-2 Specification

PACK SIZE
500ML, 800ML, 900ML, 1L, 1.2L, 1.5L, 2L, 2.5L, 3L,
3.5L, 5L, 6L, 7L, 7.5L, 10L, 15L, 20L, 25L, 50L, 210L.





GEAR GUARD EP-90 GL-4/ 80W90 GL-5

Ep-90 Are Premium Quality Extreme Pressure Gear Lubricating Oil, Blended From Solvent Refined Base Oils Having High Viscosity Index With Extremely Good Oxidation Stability. These Oils Are Blended With Selected Extreme Pressure Additives, To Provide Anti Foam, Anti-war And Anti Rust Properties .

Applications : • Lubrication of axles and mechanical transmission systems of cars, buses, trucks and tractors which require moderate duty GL-4 type of gear oils

Specification : *API GL-4 Specification*

PACK SIZE
500ML, 1L, 1.2L, 1.5L, 2L, 2.5L, 3L, 3.5L, 5L, 6L,
7L, 7.5L, 10L, 15L, 20L, 25L, 50L, 210L.





MP3 GREASE / AP3 GREASE / HIGH TEMP. GREASE

MP3 GREASE / AP3 GREASE/HIGH TEMPRATURE GREASE

BLUEX AP-3 GREASE is a premium quality multi functional long life lithium grease having a high value of drop point, good thermal & structural stability. It is specifically formulated for excellent load bearing capacity & improved anti-wear corrosion property.

APPLICATIONS:

Recommended for heavy duty automobile & industrial ball & roller bearing, gear coupling, wheel & motor bearing.

SPECIFICATIONS – IS:763-1993, NLGI-3

PACK SIZES- 500GM , 1 KG , 2 KG , 5 KG , 10 KG , 18 KG , 180 KG



HYDRA 68, 32,100, 220,320 AW/HLP

HYDRA POWER

HYDRA -68 OIL is specifically composed of highly paraffinic base stocks and additives .It is formulated to withstand extreme heavy loads, temperature and environmental conditions.

APPLICATIONS:

Recommended for all industrial and mobile hydraulic systems applications. Hydraulic pumps, compressors, constructions machines.

PERFORMANCE:

- Provides general systems cleanliness & long life
- Good thermal & Oxidations stability.
- High resistance to rust and corrosion
- Suitable for circulation oil systems of machine tools.

MEETS ISO : ISO-68

PACK SIZES- 1,5,10,20,26,50,210LTR



OUR PRODUCTS

FIGHTER 4T 20W40 SM

MOTER TECH 15W40 CI4+

COOL GUARD

AP3 GREASE, MP3 GREASE,
GEL GREASE, CHESIS GREASE

MAGNUM 4T
20W40 SN

AUTO TECH 15W40 CF/SJ

BRAKE FLUID
DOT-3 / DOT-4

CUTTING OIL
PETROLEUM JELLY

BOOST UP 4T
20W40 SL

ULTRA GOLD 15W40 CF4

MARINE GUARD 25W40

COMPRESSOR OIL
32/46/68/100/220/320

SCOOTEX 4T 10W30 SM
SPEED 4T 10W30 SL

MULTI TECH 25W40 CF4

DEF
(DIESEL EXHAUST FLUID)

GERA TECH
100/150/220/320/460

SPEEDER 4T 20W50 SM
ELITE 4T 5W30 SN

FORK OIL

GEAR GUARD EP-90
GEAR MAX EP-140 (GL-4)

SPIN-12 / 22 / 32
BLUE THERM - 500/600

BULLET GURD 15W50 SM

PSO MAX 20W40 CD/CF
HONDA TECH 20W50 SF/CD

GEAR GUARD GL-5
80W90 / 85W140

LOOM OIL-320/460
TRANS OIL


ULTRA 4T 10W40 SN

UTTO (WET BRAKE)

HYDROIL (AW / HLP)
32/46/68/100/150/220

CARLIFE 5W30 SN
TURBOJET 5W40 SN

ATF TQ -A



Extreme Power And Performance



+91 9430487252

Visit: www.bluestarlubricants.com

+91 9546116688

info@bluestarlubricants.com



H.O.- bluestar Lubricants, sr No -128/6, H No-2/17,
Behind Pragati Industrial Estate, Amli, Silvassa,
UT OF DNH & DD-396230.

W.O- Sr. No-32/2/PH.N.-759, Near Athola Primery School,
Silvassa UT OF DNH & DD-396230
Helpline : 9430487252